



This is to certify that: CSA srl

Via del Frumento 28

Santarcangelo di Romagna

Rimini 47822 Italy

Holds Certificate Number: CE 721516

In respect of:

Filtering half masks to EN 149:2001+A1:2009. Various models - see continuation sheet for details.

on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 2797):

Previous Notified Body: BSI 0086

First Issued: 2020-03-10 Latest Issue: 2020-03-10 Drs. Dave Hagenaars, Managing Director

Effective Date: 2020-03-10 Expiry Date: 2025-03-10

Page: 1 of 5

...making excellence a habit."



This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request. To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated online.

No. CE 721516

### **Product Specification – Moulded Particulate Half Masks**

**Technical** EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against

**specification:** particles

Classification – Single shift NR

**Description:** The particulate respirators are designed to protect against solid and non-volatile liquid particles.

Half masks are of moulded cup shape design, comprising of plastic PP wire nose bridge, a sponge

nose pad and are held on the face by a pair of cotton with lycra elastic headbands. All models are single shift devices (denoted by the classification symbol NR).

Some models incorporate a single, polyethylene exhalation valve, see details on models denoted by letter V. FFP1 models comprise of the exact same filter media material build up as FFP2

models.

**FFP Class FFP2** (without clogging option D)

**Models:** T220V (mask with exhalation valve fitted)

First Issued: 2020-03-10 Effective Date: 2020-03-10 Latest Issue: 2020-03-10 Expiry Date: 2025-03-10

Page: 2 of 5

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 721516

### **Product Specification – Fold Flat Particulate Half Masks**

**Technical** EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against

**specification:** particles

Classification – Single shift NR

**Description:** The particulate respirators are designed to protect against solid and non-volatile liquid particles.

Half masks are horizontal flat fold design, comprising of PP iron wire nose bridge, a sponge nose

pad and are held on the face by a pair of elastic headbands.

All models are single shift devices (denoted by the classification symbol NR).

Some models incorporate a single, PP plastic exhalation valve, see details on models denoted by letter V. FFP1 models comprise of the exact same filter media material build up as FFP2 models.

**FFP Class FFP2** (without clogging option D)

**Models:** F820V (mask with exhalation valve fitted)

F820VC (mask with exhalation valve and activated charcoal)

First Issued: 2020-03-10 Effective Date: 2020-03-10 Latest Issue: 2020-03-10 Expiry Date: 2025-03-10

Page: 3 of 5

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 721516

### **Product Specification – Flat Fold Particulate Half Masks**

**Technical** EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against

**specification:** particles

Classification – Single shift NR

**Description:** The particulate respirator is designed to protect against solid and non-volatile liquid particles. Half

mask is a horizontal flat fold design, comprising of PP plastic wire nose bridge, a sponge nose pad

and is held on the face by a pair of elastic headbands.

Model is a single shift device (denoted by the classification symbol NR), and incorporates a single,

PP plastic exhalation valve.

**FFP Class FFP3** (without clogging option D)

**Model:** E830V (mask with exhalation valve fitted)

First Issued: 2020-03-10 Effective Date: 2020-03-10 Latest Issue: 2020-03-10 Expiry Date: 2025-03-10

Page: 4 of 5

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 721516

#### **Certificate Administration Details**

Products initially approved on BSI certificate number CE 709415.

### **Certificate Amendment Record**

Issue date	Comments	BSI internal Project Ref.
March 2020	First issue	2797:20:3106420

### **Certificate Validity**

The Certificate holder is responsible for ensuring that the Notified Body is advised of changes to any aspect of the overall process utilised in the manufacture of the product, failure to do so could invalidate the Certificate in respect of product manufactured following the introduction of such changes.

The validity of the Certificate for the products is also dependent on the maintenance of the EU Conformity to Type Based on Quality Assurance of the Production Process, Annex VIII (Module D), as referenced on BSI issued Certificate CE 709480.

First Issued: 2020-03-10 Effective Date: 2020-03-10 Latest Issue: 2020-03-10 Expiry Date: 2025-03-10

Page: 5 of 5

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.